

With t° color selector through switch















LIGHT ENGINE




CONFIGURATION OF ACCESSORIES




Specifications

	Electrical insulation	CII
	Voltage (V)	220-240V ac
Hz	Frequency (Hz)	50-60 Hz
Φ	Power factor	≥ 0.9
	Current	
	Operating temperature	-20°C~40°C
	Índice de estanqueidad (IP)	IP20
ϕ	Luminous flux (lm)	Up to 744lm
K	Colour temperature	3.000-4.000-5.000K
	Colour rendering index	>80
Δ	Beam angle	60°
	Cycles on/off	15.000
	Lifetime	>25.000h
	L70B50	>25.000h
	Colour	-
	Lens	PC: Polycarbonate
	Housing	PC: Polycarbonate
	Measurements	-


Applications



Referencias

	W _T	LIGHT ENGINE				K	⊗	⊘
		ϕ _{LED}	ϕ _T					
655750	7W	1.202lm	702lm	3	3.000K	Bl	RAL 9003	
		1.222lm	722lm	4	4.000K			
		1.244lm	744lm	5	5.000K			
658775	7W	1.202lm	702lm	3	3.000K	N	RAL 9005	
		1.222lm	722lm	4	4.000K			
		1.244lm	744lm	5	5.000K			


Measurements (Light Engine)



LIGHT ENGINE

Measurements (Light engine + Accessories)


MARCO CL EMPOTRAR



LIGHT ENGINE
+
ACCESSORY CL SYMMETRICAL 60°

LIGHT ENGINE
+
ACCESSORY CL 60° ASYMMETRICAL


FRAME SQ RECESSED



LIGHT ENGINE
+
ACCESSORY SQ 60° SYMMETRICAL

LIGHT ENGINE
+
ACCESSORY SQ 60° ASYMMETRICAL

CL SURFACE ACCESSORY



LIGHT ENGINE
+
ACCESSORY SURFACE

Accessories

FRAMES



655781

SYMMETRICAL CL FRAME 60° RAL9003

↕ Ø90x84,7mm

∇ Ø75mm




655767

SYMMETRICAL CL FRAME 60° RAL905

↕ Ø90x84,7mm

∇ Ø75mm




655798

ASYMMETRICAL CL FRAME 60° RAL9003

↕ Ø90x91mm

∇ Ø75mm




655774

ASYMMETRICAL CL FRAME 60° RAL9003

↕ Ø90x91mm

∇ Ø75mm




655828

SYMMETRICAL SQ FRAME 60° RAL 9003

↕ 102x102x92,5mm

∇ 85x85mm




655804

SYMMETRICAL SQ FRAME 60° RAL 9005

↕ 102x102x92,5mm

∇ 85x85mm




655835

ASYMMETRICAL SQ FRAME 60° RAL 9003

↕ 102x102x90,4mm

∇ 85x85mm




655811

ASYMMETRICAL SQ FRAME 60° RAL 9005

↕ 102x102x90,4mm

∇ 85x85mm


SURFACE



655859

ACCESSORY SUPEFÍCIE CL 60° RAL 9003

↕ Ø90,4x99,7mm



655842

ACCESSORY SUPEFÍCIE CL 60° RAL 9005

↕ Ø90,4x99,7mm